



905. 625. 0144 | 1.888. 229. 6064

## Carbide Rock Bits



### H Thread Multi Use Bits

9/16" Carbide Depth (May Be Resharpended)

Bit Diameter	Part No.
1-1/4"	HC114
1-3/8"	HC138
1-1/2"	HC112
1-5/8"	HC158
1-3/4"	HC134
1-7/8"	HC178
2"	HC200
2-1/4"	HC214
2-1/2"	HC212
2-3/4"	HC234
3"	HC300
4"	HC400

H Thread Button Bits available upon request

## H Thread Single Use Bits



1/4" Carbide Depth (Non Resharpenable)

Bit Diameter	Part No.
1-3/8"	HC138S
1-1/2"	HC112S
1-5/8"	HC158S
1-3/4"	HC134S
1-7/8"	HC178S
2"	HC200S
2-1/4"	HC214S
2-1/2"	HC212S

## 1" Rope Thread Cross Bits



Bit Diameter	Part No.
1-3/8"	100X138
1-1/2"	100X112
1-5/8"	100X158
1-3/4"	100X134
1-7/8"	100X178
2"	100X200
2-1/4"	100X214
2-1/2"	100X212
3"	100X300
3-1/2"	100X350
4"	100X400

# 1" Rope Thread Button Bits



Bit Diameter	Part No.
1-3/8"	100B138
1-1/2"	100B112
1-5/8"	100B158
1-3/4"	100B134
1-7/8"	100B178
2"	100B200
2-1/8"	100B218
2-1/4"	100B214
2-1/2"	100B212
3"	100B-300
3-1/2"	100B350

# Tapered Single Use Bits



(Please specify taper: 11 degree taper & 7/8" Steel is standard.)

Bit Diameter	For 7/8" Steel	For 1" Steel
1-1/8"	TP78C-118-11S	
1-1/4"	TP78C-114-11S	
1-3/8"	TP78C-138-11S	TP1SC138
1-1/2"	TP78C-112-11S	TP1SC112
1-5/8"	TP78C-158-11S	TP1SC158
1-3/4"	TP78C-134-11S	TP1SC134
1-7/8"	TP78C-178-11S	TP1SC178
2"	TP78C-200-11S	TP1SC200

## Tapered Multi Use Bits



(Please specify taper: 11 degree taper & 7/8" is standard.)

Bit Diameter	For 7/8" Steel	For 1" Steel
1-1/4"	TP78C-114-11	
1-3/8"	TP78C-138-11	TP1C138
1-1/2"	TP78C-112-11	TP1C112
1-5/8"	TP78C-158-11	TP1C158
1-3/4"	TP78C-134-11	TP1C134
1-7/8"	TP78C-178-11	TP1C178
2"	TP78C-200-11	TP1C200



## H Thread Bits- Steel Rock Bit

Bit Diameter	Part No.
1-3/8"	138HS
1-1/2"	112HS
1-5/8"	158HS
1-3/4"	134HS
1-7/8"	178HS
2"	200HS
2-1/4"	214HS
2-1/2"	212HS
2-5/8"	258HS

