



905. 625. 0144 | 1.888. 229. 6064

Electric Hammer Core Bits

SDS Max Core Bits



Bit Size	Drill Depth	Overall Length	Part No.
1-1/2"	6-1/4"	12"	VC288
1-1/2"	16-3/4"	22"	VC289
1-3/4"	6-1/4"	12"	VC273
1-3/4"	16-3/4"	22"	VC274
2"	6-1/4"	12"	VC275
2"	16-3/4"	22"	VC276
2-5/8"	6-1/4"	12"	VC277
2-5/8"	16-3/4"	22"	VC278

3-1/8"	6-1/4"	12"	VC279
3-1/8"	16-3/4"	22"	VC280
3-1/2"	6-1/4"	12"	VC281
3-1/2"	16-3/4"	22"	VC282
4"	6-1/4"	12"	VC283
4"	16-3/4"	22"	VC284
5"	6-1/4"	12"	VC287
5"	16-3/4"	22"	VC285
6"	16-3/4"	22"	VC286
Replacement Centering Drill for Core Bit			VC998
Replacement Drift Key for Core Bit			VC999

Spline Core Bits



Bit Size	Drill Depth	Overall Length	Part No.
1-1/2"	6-1/4"	12"	VC290

1-1/2"	16-3/4"	22"	VC291
1-3/4"	6-1/4"	12"	VC292
1-3/4"	16-3/4"	22"	VC293
2"	6-1/4"	12"	VC294
2"	16-3/4"	22"	VC295
2-5/8"	6-1/4"	12"	VC296
2-5/8"	16-3/4"	22"	VC297
3-1/8"	6-1/4"	12"	VC298
3-1/8"	16-3/4"	22"	VC299
3-1/2"	6-1/4"	12"	VC300
3-1/2"	16-3/4"	22"	VC301
4"	6-1/4"	12"	VC302
4"	16-3/4"	22"	VC303
5"	6-1/4"	12"	VC304
5"	16-3/4"	22"	VC305
6"	16-3/4"	22"	VC306
Replacement Centering Drill for Core Bit			VC998
Replacement Drift Key for Core Bit			VC999

Replacement Parts for Vulcan SDS Max/Spline Carbide Core Bits



Description	Part No.
Replacement Centering Drill for SDS Max/ Spline Core Bits	VC998
Replacement Drift Key for SDS Max/ Spline Core Bits	VC999